

# PROVEN EFFECTIVE FIRE SUPPRESSION SYSTEMS



# TOTAL FLOODING FIRE SUPPRESSION SYSTEMS



## COMPLETE UL / FM / VDS CERTIFIED FIRE SUPPRESSION SYSTEM WITH INERT GAS

- Fast discharge and effective suppression
- Compact system with 80L or 140L cylinders
- 200/ 300 bar inert gas fire suppression systems
- Pressure regulated technology (constant discharge)
- No residues- nothing to clean-up
- No chemical reactions
- No toxic by-products
- Safe for humans, equipment and environment



Q1 2024



## A COMPLETE UL / FM / VDS APPROVED CLEAN AGENT FIRE SUPPRESSION SYSTEM

- Quick discharge and high extinguishing performance
- Choice from 30L to 180L cylinders
- 25 or 50 bar working pressure
- Filling ratio up to 1.2 kg/L
- Space- efficient as less space needed for cylinder storage
- Reduced cost for piping and maintenance
- No residue- nothing to clean
- Safe for humans within the NOAEL limitation
- Non-conductive electrically



## COMPLETE UL LISTED CO<sub>2</sub> FIRE SUPPRESSION SYSTEM

- Very versatile and effective on a wide range of flammable and combustible materials
- Ideal for sensitive equipment
- Non-conductive electrically
- No residue- nothing to clean
- Fast discharge and effective suppression
- 0% Ozone Depletion Potential (ODP)
- Proven high quality valve technology
- Low cost of system and maintenance



# LOCAL APPLICATION FIRE SUPPRESSION SYSTEMS



## COMPLETE FIRE SUPPRESSION SYSTEMS FOR COMMERCIAL KITCHENS

- 9 L pre-engineered Kitchen System is ideal for small-and medium-sized kitchens
- 16 L and 25 L engineered Kitchen System is ideal for large commercial kitchens



TRIPLESTAR system also for residential kitchens

## COMPACT LINE

### COMPLETE WATER MIST FIRE SUPPRESSION SYSTEMS FOR VEHICLE ENGINES

- Most compact system in the world<sup>1</sup>
- Protects passengers and valuable equipment
- Improves productivity due to less maintenance, material change and downtime



<sup>1</sup> According to UNECE R107 certification




## FIREDETEC

### COMPLETE FIRE SUPPRESSION SYSTEMS PRE-ENGINEERED FOR VITAL EQUIPMENT

- Ideal for supplemental protection for critical high-risk equipment
- Available with CO<sub>2</sub>, FK-5-1-12 agent and HFC-227ea or in multiple cylinder sizes for small, medium or large enclosures
- Prevents extensive cleanup if the sprinkler system discharges

\*UL and FM certifications apply only to indirect DOT clean agent systems



### COMPLETE FIRE SUPPRESSION SYSTEMS PRE-ENGINEERED FOR VEHICLE ENGINES

- Protects engine compartments of all sizes. Only 4 kg of agent required for the protection of a standard engine compartment up to 4m<sup>3</sup>
- Pressurized at 25 bar to ensure fast delivery and effective extinguishing performance
- Fast installation – No rigid piping required







## WE'RE WORLDWIDE

Brasil \* China \* France \* Germany \* Hungary \* India  
Indonesia \* Italy \* Japan \* Luxembourg \* Malaysia \* Middle East  
Mexico \* Philippines \* Poland \* Singapore \* South Africa  
South Korea \* Spain \* Sweden \* Thailand \* Taiwan  
United Kingdom \* USA \* Vietnam

Find out our locations here  
[rotarexfiretec.com/locations](https://rotarexfiretec.com/locations)

